

natural^{led}

▶▶▶ Turning Light into Savings

PRODUCT CATALOG

2021



LED Lamps | Fixtures | Accessories



Turning Light into Savings ▶▶▶

Index ▶▶▶

04 Outdoor Fixtures

24 Indoor Fixtures

40 Lamps


50 Accessories

54 Reference

01

TWP WALL PACK

DLC Premium and IP65 Rated



SKU Code	Product Code	Watts	Lumens
9455	FXTWP60SW/CCT3/BZ-PHO	28W	4,404
		38W	6,260
		60W	9,134
9456	FXTWP100SW/CCT3/BZ-PHO	28W	9,065
		38W	11,260
		60W	14,500
9453	FXTWP28/40K/BZ-PHO	28W	4,128
9454	FXTWP28/50K/BZ-PHO	28W	4,189
9447	FXTWP38/40K/BZ-PHO	38W	5,700
9448	FXTWP38/50K/BZ-PHO	38W	5,700
9449	FXTWP60/40K/BZ-PHO	60W	9,000
9450	FXTWP60/50K/BZ-PHO	60W	9,000
9451	FXTWP80/40K/BZ-PHO	80W	12,000
9452	FXTWP80/50K/BZ-PHO	80W	12,000

347V

9532	FXTWP60SW/CCT3/BZ/347-PHO	28W	4,060
		38W	5,510
		60W	8,700
9533	FXTWP100SW/CCT3/BZ/347-PHO	60W	8,700
		80W	11,600
		100W	14,500
9534	FXTWP38/40K/BZ/347-PHO	38W	5,700
9535	FXTWP38/50K/BZ/347-PHO	38W	5,700
9536	FXTWP60/40K/BZ/347-PHO	60W	9,000
9537	FXTWP60/50K/BZ/347-PHO	60W	9,000

SKU	Product Code	Description
P10234	SEN-MC605V-D	Microwave Motion Sensor 0-10V
7334	BAEM15-48BC/MV-A	15W Emergency Driver
7336	BAEM4-60BC/MV-A	4W Emergency Driver for 28W, 38W
P10004	WG-TWP-MEDIUM	Wireguard for Medium
P10402	CVR-TWP-SMALL/BZ	Shield Cover- Small 28W
P10403	CVR-TWP-MEDIUM/BZ	Shield Cover- Medium 38W-100W
P10002	LENS-TWP-SMALL	Glass Lens Gasket for 28W
P10000	LENS-TWP-MEDIUM	Glass lens Gasket for 38-100W
P10003	LENS-TWP-PC-MEDIUM	Plastic Lens Gasket for 38-100W
P10389	SPD-L-10KV-277	Surge Protector 10KV 120-277V
P10390	SPD-L-20KV-277	Surge Protector 20KV 120-277V
P10391	SPD-L-20KV-480	Surge Protector 20KV 347-480V



An additional installation fee will be applied per fixture

02

FULL CUT-OFF WALL PACK

DLC Premium & IP65 Rated




SKU Code	Product Code	Watts	Lumens
9319	LED-FXCWP40/40K/BZ	40W	4,861
9320	LED-FXCWP40/50K/BZ	40W	4,743
9208	LED-FXCWP60/40K/BZ	61W	7,347
9209	LED-FXCWP60/50K/BZ	61W	7,481
9443	LED-FXCWP80/40K/BZ	80W	9,908
9444	LED-FXCWP80/50K/BZ	80W	9,974
9445	LED-FXCWP120/40K/BZ	120W	14,667
9446	LED-FXCWP120/50K/BZ	120W	14,529

SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Backup Driver 120-277V
P10036	SEN-PHO-BT-MT/MV	Button Photocell 120-277V

03

ADJUSTABLE SLIM WALL PACK

DLC Premium/Standard & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9301	LED-FXSWP15/840/DB	15W	2,001
9302	LED-FXSWP15/850/DB	15W	2,062
9303	LED-FXSWP28/840/DB	28W	3,418
9304	LED-FXSWP28/850/DB	28W	3,513
9305	LED-FXSWP45/840/DB	45W	5,539
9306	LED-FXSWP45/850/DB	45W	5,680
9307	LED-FXSWP15/840/BK	15W	2,001
9308	LED-FXSWP15/850/BK	15W	2,062
9309	LED-FXSWP28/840/BK	28W	3,418
9310	LED-FXSWP28/850/BK	28W	3,513
9311	LED-FXSWP45/840/BK	45W	5,539
9312	LED-FXSWP45/850/BK	45W	5,680

SKU	Product Code	Description
P10076	MT-SF-SWP/DB	Slip Fitter Bronze
P10007	MT-SF-SWP/BK	Slip Fitter Black
P10075	MT-KNC-SWP/DB	3/4" NPT Knuckle Mount Bronze
P10006	MT-KNC-SWP/BK	3/4" NPT Knuckle Mount Black
P10074	MT-SB-SWP/DB	Swivel Bracket Bronze
P10005	MT-SB-SWP/BK	Swivel Bracket Black
P10036	SEN-PHO-BT-MT/MV	Button Photocell 120-277V



An additional installation fee will be applied per fixture

04

SLIM CANOPY 9"x9"

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 9432	FX10SCM28/840/BK-SEN	28W	3,540
• 9433	FX10SCM28/850/BK-SEN	28W	3,746
• 9434	FX10SCM42/840/BK-SEN	42W	5,517
• 9435	FX10SCM42/850/BK-SEN	42W	5,638
• 9436	FX10SCM59/840/BK-SEN	59W	7,695
• 9437	FX10SCM59/850/BK-SEN	59W	7,845
• 9457	*FX10SCM28/850/WH-SEN	28W	3,746
• 9458	*FX10SCM42/850/WH-SEN	42W	5,638
• 9459	*FX10SCM59/850/WH-SEN	59W	7,845
9414	FX10SCM28/840/BK	28W	3,540
9415	FX10SCM28/850/BK	28W	3,746
9418	FX10SCM42/840/BK	42W	5,517
9419	FX10SCM42/850/BK	42W	5,638
9422	FX10SCM59/840/BK	59W	7,695
9423	FX10SCM59/850/BK	59W	7,845
9416	FX10SCM28/840/WH	28W	3,540
9417	FX10SCM28/850/WH	28W	3,746
9420	FX10SCM42/840/WH	42W	5,517
9421	FX10SCM42/850/WH	42W	5,638
9424	FX10SCM59/840/WH	59W	7,695
9425	FX10SCM59/850/WH	59W	7,845

- Motion Sensor Included
- * Special Order Only

SKU	Product Code	Description
P10234	SEN-MC605V-D	Microwave Motion Sensor 0-10V
7336	BAEM4-60BC/MV-A	4W Emergency Driver
P10195	PLT-SCM/14X14/WH	14" Beauty Plate
P10196	PLT-SCM/24X24/WH	24" Beauty Plate
P10126	LENS-SCM/DR9X9	Drop Lens
P10125	LENS-SCM/FR9X9	Frosted Lens
P10389	SPD-L-10KV-277	Surge Protector 10KV 120-277V
P10390	SPD-L-20KV-277	Surge Protector 20KV 120-277V
P10391	SPD-L-10KV-480	Surge Protector 20KV 347-480V



An additional installation fee will be applied per fixture

05

SLIM CANOPY LARGE 13"x13"

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9426	FX13SCM60/840/BK	59W	7,617
9427	FX13SCM60/850/BK	59W	7,769
9428	FX13SCM85/840/BK	82W	10,062
9429	FX13SCM85/850/BK	82W	10,259
9430	FX13SCM100/840/BK	100W	13,238
9431	FX13SCM100/850/BK	100W	13,620
• 9245	LED-FXSCM60/50K/BK	59W	7,397
• 9248	LED-FXSCM85/40K/BK	82W	10,062
• 9249	LED-FXSCM85/50K/BK	82W	10,259
• 9211	LED-FXSCM100/40K/BK	100W	12,269
• 9212	LED-FXSCM100/50K/BK	100W	12,516

- Limited Stock

SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Driver
P10234	SEN-MC605V-D	Microwave Motion Sensor 120-277V
P10196	PLT-SCM/24X24/WH	24" Beauty Plate
P10389	SPD-L-10KV-277	Surge Protector 10KV 120-277V
P10390	SPD-L-20KV-277	Surge Protector 20KV 120-277V

An additional installation fee will be applied per fixture



06

GAS STATION CANOPY

DLC Standard & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 7440	LED-FXGSC45/50K/WH	46W	5,513
• 7441	LED-FXGSC75/50K/WH	75W	8,997
• 7553	LED-FXGSC100/50K/WH	104W	13,279
• 7555	LED-FXGSC150/50K/WH	150W	20,041

- Limited Stock



An additional installation fee will be applied per fixture

07

BULLET FLOODLIGHT

DLC Standard & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9291	LED-FXBFS10/40/830/BZ-KNC	10W	1,137
9292	LED-FXBFS10/40/850/BZ-KNC	10W	1,167
9293	LED-FXBFS20/40/830/BZ-KNC	20W	2,291
9294	LED-FXBFS20/40/850/BZ-KNC	20W	2,373



09

FLOODLIGHT

DLC Standard & IP65 Rated



SKU Code	Product Code	Watts	Lumens
7761	LED-FXFDL10/50K/BK	10W	1,284
7762	LED-FXFDL20/50K/BK	20W	2,438
7763	LED-FXFDL27/50K/BK	28W	3,499
7764	LED-FXFDL48/50K/BK	48W	6,153



08

FLOODLIGHT (1/2" KNUCKLE MOUNT)

DLC Standard & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9313	LED-FDL15/77/40K/BZ-KNC	15W	1,603
9314	LED-FDL15/77/50K/BZ-KNC	15W	1,624
9315	LED-FDL30/77/40K/BZ-KNC	30W	3,427
9316	LED-FDL30/77/50K/BZ-KNC	30W	3,432
9317	LED-FDL50/77/40K/BZ-KNC	50W	5,778
9318	LED-FDL50/77/50K/BZ-KNC	50W	5,793



10

FLOODLIGHT (3/4" Threaded Nipple)

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 7783	LED-FXFDL50/66/40K/BK	50W	6,656
• 7784	LED-FXFDL50/66/50K/BK	50W	6,750
• 7787	LED-FXFDL100/66/40K/BK	100W	13,332
• 7788	LED-FXFDL100/66/50K/BK	100W	13,596

• Limited Stock

SKU	Product Code	Description
K209226	MT-FDL/SF	Slip Fitter



11

SPORTS LIGHT DLC Premium & IP66 Rated



16-inch diameter



SKU Code	Product Code	Watts	Lumens
9394	LED-FX16SPL400/22/840/BK/480	400W	50,886
9322	LED-FX16SPL400/22/850/BK/480	400W	52,098
9395	LED-FX16SPL400/33/840/BK/480	400W	55,052
9323	LED-FX16SPL400/33/850/BK/480	400W	56,278
9396	LED-FX16SPL400/44/840/BK/480	400W	55,718
9390	LED-FX16SPL400/44/850/BK/480	400W	56,965
9397	LED-FX16SPL400/55/840/BK/480	400W	56,950
9391	LED-FX16SPL400/55/850/BK/480	400W	58,145
9398	LED-FX16SPL650/22/840/BK/480	650W	83,875
9325	LED-FX16SPL650/22/850/BK/480	650W	85,962
9399	LED-FX16SPL650/33/840/BK/480	650W	91,912
9324	LED-FX16SPL650/33/850/BK/480	650W	93,869
9400	LED-FX16SPL650/44/840/BK/480	650W	93,251
9392	LED-FX16SPL650/44/850/BK/480	650W	95,280
9401	LED-FX16SPL650/55/840/BK/480	650W	93,850
9393	LED-FX16SPL650/55/850/BK/480	650W	95,864

SKU	Product Code	Description
P10230	PWC-300V2-30FT	30-ft Cable
P10305	LASER-SPL/GRN	Laser Position Light
P10307	MT-SF-16SPL/BK	Slip Fitter for 16" SPL
P10296	LENS-SPL16-NEMA33	Type 3 Lens
P10297	LENS-SPL16-NEMA44	Type 4 Lens
P10298	LENS-SPL16-NEMA55	Type 5 Lens

An additional installation fee will be applied per fixture



12

SPORTS LIGHT DLC Premium & IP66 Rated



15-inch diameter



SKU Code	Product Code	Watts	Lumens
9441	LED-FX15SPL400/44/57K/BK	400W	56,387
9442	LED-FX15SPL500/44/57K/BK	500W	67,311

SKU	Product Code	Description
P10306	MT-SF-15SPL/BK	Slip Fitter for 15" SPL
P10322	LASER-SPL/GN-A	Laser Position Light
P10340	LENS-SPL15-NEMA55	Type 5 Lens

An additional installation fee will be applied per fixture



13

POST TOP DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9297	LED-FX16PST35/840/BK	34W	4,304
9298	LED-FX16PST35/850/BK	34W	4,374
9299	LED-FX16PST73/840/BK	74W	9,210
9300	LED-FX16PST73/850/BK	74W	9,361

SKU	Product Code	Description
K141030	REC3PLK/PHO	Photocell Sensor + 3 Prong Receptacle Kit
P10234	SEN-MC605V-D	Microwave Motion Sensor 120-277V
P10141	REC3PLK	Receptacle Mount 3 Prong
P10142	REC7PLK	Receptacle Mount 7 Prong
P10053	SEN-PHO-LK-MT-SRT	Twist Lock Mount Shorting Cap

An additional installation fee will be applied per fixture



An additional installation fee will be applied per fixture

14

HID RETROFIT KIT

DLC Premium



SKU Code	Product Code	Watts	Lumens
7608	LED-RKIT50HID/40K	50W	6,738
7609	LED-RKIT50HID/50K	50W	6,837
7610	LED-RKIT120HID/40K	120W	15,554
7611	LED-RKIT120HID/50K	120W	15,735
7612	LED-RKIT200HID/40K	200W	28,678
7613	LED-RKIT200HID/50K	200W	29,025
7614	LED-RKIT300HID/40K	300W	37,506
7615	LED-RKIT300HID/50K	300W	38,235

SKU	Product Code	Description
P10182	BA-10031A-240-22	480V Driver for RKIT 50W
P10203	BALED-LHP-150M062	480V Driver for RKIT 120W
P10184	BALED-ESD-240S660DT	480V Driver for RKIT 200W
P10202	BALED-ESD-320S620DT	480V Driver for RKIT 300W

An additional installation fee will be applied per fixture



15


BOLLARD

DLC/ Energy Star & IP65 Rated



SKU Code	Product Code	Watts	Lumens
• 9326	LED-FX8BLD18/42FCN/840/BK	9/13/18W	1,000 / 1,500 / 2,000
• 9327	LED-FX8BLD18/42FCN/850/BK	9/13/18W	1,000 / 1,500 / 2,000
• 9328	LED-FX8BLD18/42FLV/840/BK	9/13/18W	750 / 1,100 / 1,566
• 9329	LED-FX8BLD18/42FLV/850/BK	9/13/18W	750 / 1,100 / 1,566
• 9332	LED-FX8BLD18/42FFR/840/BK	9/13/18W	800 / 1,200 / 1,622
• 9333	LED-FX8BLD18/42FFR/850/BK	9/13/18W	800 / 1,200 / 1,622
• 9330	LED-FX8BLD18/42FT3/840/BK	9/13/18W	700 / 1,000 / 1,464
• 9331	LED-FX8BLD18/42FT3/850/BK	9/13/18W	700 / 1,000 / 1,464
• 9334	*LED-FX8BLD18/42FCN/840/BZ	9/13/18W	1,000 / 1,500 / 2,000
• 9335	LED-FX8BLD18/42FCN/850/BZ	9/13/18W	1,000 / 1,500 / 2,000
• 9336	*LED-FX8BLD18/42FLV/840/BZ	9/13/18W	750 / 1,100 / 1,566
• 9337	LED-FX8BLD18/42FLV/850/BZ	9/13/18W	750 / 1,100 / 1,566
• 9340	*LED-FX8BLD18/42FFR/840/BZ	9/13/18W	800 / 1,200 / 1,622
• 9341	*LED-FX8BLD18/42FFR/850/BZ	9/13/18W	800 / 1,200 / 1,622
• 9338	*LED-FX8BLD18/42FT3/840/BZ	9/13/18W	700 / 1,000 / 1,464
• 9339	*LED-FX8BLD18/42FT3/850/BZ	9/13/18W	700 / 1,000 / 1,464
• 9374	LED-FX8BLD18/42RCN/840/BK	9/13/18W	1,000 / 1,500 / 2,000
• 9375	LED-FX8BLD18/42RCN/850/BK	9/13/18W	1,000 / 1,500 / 2,000
• 9376	LED-FX8BLD18/42RLV/840/BK	9/13/18W	750 / 1,100 / 1,566
• 9377	LED-FX8BLD18/42RLV/850/BK	9/13/18W	750 / 1,100 / 1,566
• 9380	LED-FX8BLD18/42RFR/840/BK	9/13/18W	750 / 1,100 / 1,566
• 9381	*LED-FX8BLD18/42RFR/850/BK	9/13/18W	750 / 1,100 / 1,566
• 9378	LED-FX8BLD18/42RT3/840/BK	9/13/18W	700 / 1,000 / 1,464
• 9379	*LED-FX8BLD18/42RT3/850/BK	9/13/18W	700 / 1,000 / 1,464
• 9382	LED-FX8BLD18/42RCN/840/BZ	9/13/18W	1,000 / 1,500 / 2,000
• 9383	LED-FX8BLD18/42RCN/850/BZ	9/13/18W	1,000 / 1,500 / 2,000
• 9384	LED-FX8BLD18/42RLV/840/BZ	9/13/18W	750 / 1,100 / 1,566
• 9385	*LED-FX8BLD18/42RLV/850/BZ	9/13/18W	750 / 1,100 / 1,566
• 9388	*LED-FX8BLD18/42RFR/840/BZ	9/13/18W	750 / 1,100 / 1,566
• 9389	*LED-FX8BLD18/42RFR/850/BZ	9/13/18W	750 / 1,100 / 1,566
• 9386	*LED-FX8BLD18/42RT3/840/BZ	9/13/18W	700 / 1,000 / 1,464
• 9387	*LED-FX8BLD18/42RT3/850/BZ	9/13/18W	700 / 1,000 / 1,464

• DLC
• Energy Star
*Special Order Only



COMPACT AREA LIGHT

DLC Premium & IP65 Rated



SKU Code	Product Code	Watts	Lumens
9492	FXCAL100/840/BZ/3S	100W	13,873
9493	FXCAL100/850/BZ/3S	100W	14,100
9494	FXCAL150/840/BZ/3S	150W	21,000
9495	FXCAL150/850/BZ/3S	150W	21,150
9496	FXCAL240/840/BZ/3S	240W	33,600
9497	FXCAL240/850/BZ/3S	240W	33,840
9498	FXCAL300/840/BZ/3S	300W	42,000
9499	FXCAL300/850/BZ/3S	300W	42,300
9528	FXCAL150/840/BZ/3S/480	150W	21,000
9529	FXCAL150/850/BZ/3S/480	150W	21,000
9572	FXCAL300/840/BZ/3S/480	300W	40,500
9519	FXCAL300/850/BZ/3S/480	300W	40,500
9512	FXCAL100/840/BZ/3S/347	100W	14,365
9513	FXCAL100/850/BZ/3S/347	100W	14,365
9514	FXCAL150/840/BZ/3S/347	150W	22,151
9515	FXCAL150/850/BZ/3S/347	150W	22,151
9516	FXCAL300/840/BZ/3S/347	300W	43,952
9517	FXCAL300/850/BZ/3S/347	300W	43,952

An additional installation fee will be applied per fixture



COMPACT AREA LIGHT

Accessories

SKU	Product Code	Description
P10365	MT-CAL/PM8/BZ	8" Pole Mount Arm
P10366	MT-CAL/SF/BZ	Slip Fitter Mount
P10367	MT-CAL/YK13/BZ	Yoke Mount
K379200	MT-CAL/MM/BZ	CAL Wall Mount
P10405	GSFB-CAL/BZ	Glare Shield (2 pcs for 240/300W)
P10398	LENS-CAL-IV	Type 4 Lens
P10399	LENS-CAL-V	Type 5 Lens
P10387	SEN-BRI823-B-D	PIR Motion/Photocell 0-10V Bi-Level Control 120-277V
P10371	SEN-BRI619	PIR Motion/Photocell 0-10V Bi-Level Control 12-24V
P10316	SEN-BRI-RC100	Remote Programmer for P10315, P10371, P10385
P10259	SEN-ON-SRP281	Remote Programmer for Linkable or Zoning
K368258	PLT/SBZ/CAL/LRD9SWC	Small Plate with PIR linkable sensor 0-10V bi-level control 120-277V (100/150W)
K368370	PLT/SBZ/CAL/BRD5WC	Small plate with motion/remote linkable sensor 0-10V 3X C Lens 120-347V, 277-480V for 100W, 150W
K369258	PLT/LBZ/CAL/LRD9SWC	Large plate with PIR linkable sensor 0-10V bi-level control 120-277V for 240W, 300W
K369370	PLT/LBZ/CAL/BRD5WC	Large plate with motion/remote linkable sensor 0-10V 3X C Lens 120-347V, 277-480V for 240W, 300W
P10389	SPD-L-10KV-277	Surge Protection 10KV 120-277V
P10390	SPD-L-20KV-277	Surge Protection 20KV 120-277V
P10391	SPD-L-2-KV-480	Surge Protection 20KV 347-480V
P10141	REC3PLK	Twist Lock Photocell & Receptacle Mount 120-480V 3 Prong
P10142	REC7PLK	Twist Lock Photocell & Receptacle Mount 120-480V 7 Prong
K141030	REC3PLK-PHO	Twist Lock Photocell and Receptacle Mount 120-277 3 Prong
P10053	SEN-PHO-LK-MT/SRT	Twist Lock Photocell Shorting Cap 120-480V 3 Prong

Pole Brackets


SKU	Product Code	Description
P10348	MT-3RTV2.5-1/BZ	3" Round Pole with 2-3/8" Tenon
P10349	MT-4RTV2.5-1/BZ	4" Round Pole with 2-3/8" Tenon
P10350	MT-5RTV2.5-1/BZ	5" Round Pole with 2-3/8" Tenon
P10351	MT-3STV2.5-1/BZ	3" Square Pole with 2-3/8" Tenon
P10352	MT-4STV2.5-1/BZ	4" Square Pole with 2-3/8" Tenon
P10353	MT-5STV2.5-1/BZ	5" Square Pole with 2-3/8" Tenon
P10356	MT-2.5RTBV2.5-2180/BZ	Bullhorn with Double 2-3/8" Tenon 180°
P10357	MT-2.5RTBV2.5-3180/BZ	Bullhorn with Triple 2-3/8" Tenon 180°
P10358	MT-2.5RTBA2.5-3120/BZ	Bullhorn with Triple 2-3/8" Tenon 120°
P10359	MT-2.5RTBH2.5-290/BZ	Spoke Mount Bracket w/Double 2-3/8" 90°
P10360	MT-4STV2.5-2180/BZ	4" Square Pole Mount w/Double 2-3/8" Tenon
P10361	MT-4STV2.5-3180/BZ	4" Square Pole Mount w/Triple 2-3/8" Tenon
P10362	MT-4STV2.5-490/BZ	4" Square Pole Mount w/Quad 2-3/8" Tenon
P10363	MT-4WM2.5-1/BZ	Wall Mount Bracket with 2-3/8" Tenon
P10364	MT-4WM2.5-190/BZ	90° Angled Wall Mount with 2-3/8" Tenon
P10354	MR-4STC/BK	4" Square Pole Cap

An additional installation fee will be applied per fixture

17

SLIM AREA LIGHT

DLC Premium & IP65 Rated

5
YEAR
WARRANTY10 Year Extended
Warranty Available

SKU Code	Product Code	Watts	Lumens
7616	LED-FXSAL29/40K/DB/3S	29W	3,517
7617	LED-FXSAL29/50K/DB/3S	29W	3,576
7620	LED-FXSAL50/40K/DB/3S	50W	6,241
7621	LED-FXSAL50/50K/DB/3S	50W	6,247
7752	LED-FXSAL75/30K/DB/3S	75W	8,738
7624	LED-FXSAL75/40K/DB/3S	75W	8,738
7625	LED-FXSAL75/50K/DB/3S	75W	9,011
7754	LED-FXSAL100/30K/DB/3S	100W	11,548
7628	LED-FXSAL100/40K/DB/3S	100W	11,548
7629	LED-FXSAL100/50K/DB/3S	100W	11,821
7700	LED-FXSAL150/30K/DB/3S	150W	20,187
7769	LED-FXSAL150/40K/DB/3S	150W	20,187
7770	LED-FXSAL150/50K/DB/3S	150W	20,604
7746	LED-FXSAL180/30K/DB/3S	182W	22,191
7632	LED-FXSAL180/40K/DB/3S	182W	22,191
7633	LED-FXSAL180/50K/DB/3S	182W	22,743
7748	LED-FXSAL240/30K/DB/3S	243W	29,794
7636	LED-FXSAL240/40K/DB/3S	243W	29,794
7637	LED-FXSAL240/50K/DB/3S	243W	30,274
7750	LED-FXSAL360/30K/DB/3S	366W	44,796
7640	LED-FXSAL360/40K/DB/3S	366W	44,796
7641	LED-FXSAL360/50K/DB/3S	366W	45,878
7724	LED-FXSAL180/40K/DB/3S/480	183W	22,147
7725	LED-FXSAL180/50K/DB/3S/480	183W	22,717
7728	LED-FXSAL240/40K/DB/3S/480	238W	28,912
7729	LED-FXSAL240/50K/DB/3S/480	238W	29,546
7732	LED-FXSAL360/40K/DB/3S/480	360W	43,560
7733	LED-FXSAL360/50K/DB/3S/480	360W	44,405
7701	• LED-FXSAL150/30K/BK/3S	154W	20,187
9233	• LED-FXSAL150/40K/BK/3S	154W	20,187
9234	• LED-FXSAL150/50K/BK/3S	154W	20,604

• DLC Premium


• Black



17

SLIM AREA LIGHT

DLC Premium & IP65 Rated

5
YEAR
WARRANTY10 Year Extended
Warranty Available

































SKU Code	Product Code	Watts	Lumens
7618	LED-FXSAL29/40K/WH/3S	27W	3,517
7619	LED-FXSAL29/50K/WH/3S	27W	3,576
7622	LED-FXSAL50/40K/WH/3S	50W	6,241
7623	LED-FXSAL50/50K/WH/3S	50W	6,247
7753	LED-FXSAL75/30K/WH/3S	75W	8,738
7626	LED-FXSAL75/40K/WH/3S	75W	8,738
7627	LED-FXSAL75/50K/WH/3S	75W	9,011
7755	LED-FXSAL100/30K/WH/3S	98W	11,548
7630	LED-FXSAL100/40K/WH/3S	98W	11,548
7631	LED-FXSAL100/50K/WH/3S	98W	11,821
7702	LED-FXSAL150/30K/WH/3S	154W	20,187
9232	LED-FXSAL150/50K/WH/3S	154W	20,604
7747	LED-FXSAL180/30K/WH/3S	182W	22,191
7634	LED-FXSAL180/40K/WH/3S	182W	22,191
7635	LED-FXSAL180/50K/WH/3S	182W	22,743
7749	LED-FXSAL240/30K/WH/3S	243W	29,794
7638	LED-FXSAL240/40K/WH/3S	243W	29,794
7639	LED-FXSAL240/50K/WH/3S	243W	30,274
7751	LED-FXSAL360/30K/WH/3S	366W	44,796
7642	LED-FXSAL360/40K/WH/3S	366W	44,796
7643	LED-FXSAL360/50K/WH/3S	366W	45,878
7726	LED-FXSAL180/40K/WH/3S/480	183W	22,147
7727	LED-FXSAL180/50K/WH/3S/480	180W	22,717
7730	LED-FXSAL240/40K/WH/3S/480	238W	28,912
7731	LED-FXSAL240/50K/WH/3S/480	238W	29,546
7734	LED-FXSAL360/40K/WH/3S/480	360W	43,560
7735	LED-FXSAL360/50K/WH/3S/480	360W	44,405

• DLC Premium



SKU	Product Code	Description
 K136178	PLT/LDB/9SWC	Remote Controllable Sensor 0-10V 3X C Lens (180-360W) Dark Bronze
K136179	PLT/LDB/9SWD	Remote Controllable Sensor 0-10V 2X D Lens (180-360W) Dark Bronze
 K137178	PLT/LWH/9SWC	Remote Controllable Sensor 0-10V 3X C Lens (180-360W) White
K137179	PLT/LWH/9SWD	Remote Controllable Sensor 0-10V 2X D Lens (180-360W) White
 K134178	PLT/SDB/9SWC	Remote Controllable Sensor 0-10V 3X C Lens (29-100W) Dark Bronze
K134179	PLT/SDB/9SWD	Remote Controllable Sensor 0-10V 2X D Lens (29-100W) Dark Bronze
 K135178	PLT/SWH/9SWC	Remote Controllable Sensor 0-10V 3X C Lens (29-100W) White
K135179	PLT/SWH/9SWD	Remote Controllable Sensor 0-10V 2X D Lens (29-100W) White
 P10164	SEN-SRP280	Remote Programmer
 K141030	REC3PLK/PHO	Receptacle Mount/Photocell
 P10053	SEN-PHO-LK-MT/SRT	Twist-Lock Mount Shorting Cap
 P10141	REC3PLK	Receptacle Mount -3 prong
 P10142	REC7PLK	Receptacle Mount -7 prong
 P10205	GSB-SAL-S/DB	Back Glare Shields for Small SAL (DB)
P10206	GSB-SAL-S/WH	Back Glare Shields for Small SAL (WH)
 P10207	GSB-SAL-L/DB	Back Glare Shields for Large SAL (DB)
P10208	GSB-SAL-L/WH	Back Glare Shields for Large SAL (WH)
 P10213	GSF-SAL-S/DB	Front Glare Shields for Small SAL (DB)Front
P10214	GSF-SAL-S/WH	Glare Shields for Small SAL (WH)
 P10215	GSF-SAL-L/DB	Front Glare Shields for Large SAL (DB)Front
P10216	GSF-SAL-L/WH	Glare Shields for Large SAL (WH)
 P10183	BALED-ESD-240S460DT	Ballast Inventronics 150W/180W/360W
 P10184	BALED-ESD-240S660DT	Ballast Inventronics 240W 480V
 P10202	BALED-ESD-300S620DT	Ballast Inventronics 320W 480V

An additional installation fee will be applied per fixture

SKU	Product Code	Description
 P10127	LENS-SAL-SMALL-V	Type 5 Lens (29-100W)
 P10128	LENS-SAL-LARGE-V/DB	Type 5 Lens (150-360W) DB
 P10131	LENS-SAL-LARGE-V/WH	Type 5 Lens (150-360W) White
 P10237	LENS-SAL-3X3-IV	Lens SAL 3X3 Type IV
 K238X2	LENS-SAL-180-IV	150W/180W Type IV Lens Kit
 K238X3	LENS-SAL-240-IV	240W Type IV Lens Kit
 K237X4	LENS-SAL-360-IV	360W Type IV Lens Kit
 P10101	MT-SAL/SF/DB	Slip Fitter Mount for SAL (DB)
 P10209	MT-SAL/SF/BK	Slip Fitter Mount for SAL (BK)
 P10102	MT-SAL/SF/WH	Slip Fitter Mount for SAL (WH)
 P10103	MT-SAL/SB/DB	Swivel Bracket Mount for SAL(DB)
 P10210	MT-SAL/SB/BK	Swivel Bracket Mount for SAL(BK)
 P10104	MT-SAL/SB/WH	Swivel Bracket Mount for SAL (WH)
 P10105	MT-SAL/EA6/DB	6" Extruded Arm for SAL (DB)
 P10211	MT-SAL/EA6/BK	6" Extruded Arm for SAL (BK)
 P10106	MT-SAL/EA6/WH	6" Extruded Arm for SAL (WH)
 P10107	MT-SAL/DPB/DB	Dual Pendant Box 3/4" NPT (DB)
 P10108	MT-SAL/DPB/WH	Dual Pendant Box 3/4" NPT (WH)
 P10111	MT-SAL/YK9/DB	9" Yoke Mount 29-100W (DB)
 P10112	MT-SAL/YK9/WH	9" Yoke Mount 29-100W (WH)
 P10113	MT-SAL/YK15/DB	15" Yoke Mount 150-360W (DB)
 P10114	MT-SAL/YK15/WH	15" Yoke Mount 150-360W (WH)
 P10200	MT-SAL/WM/BZ	Wall Mount (DB)
 P10199	MT-SAL/WM/WH	Wall Mount (WH)
 P10119	MT-SAL/4PA/DB	4" Round pole adaptor for SAL (DB)
 P10120	MT-SAL/5PA/DB	5" Round pole adaptor for SAL (DB)
 P10121	MT-SAL/6PA/DB	6" Round pole adaptor for SAL (DB)
 P10122	MT-SAL/4PA/WH	4" Round pole adaptor for SAL (WH)
 P10123	MT-SAL/5PA/WH	5" Round pole adaptor for SAL (WH)
 P10124	MT-SAL/6PA/WH	6" Round pole adaptor for SAL (WH)
 K134185	PLT/SDB/100BA480	347-480V to 277V Step Down Driver for 100W with Dark Bronze Mounting Plate
 K135186	PLT/SWH/100BA480	347-480V to 277V Step Down Driver for 100W with White Mounting Plate

An additional installation fee will be applied per fixture

18

JELLY JAR VAPOR TIGHT

Energy Star

5
YEAR
WARRANTY

SKU Code	Product Code	Watts	Lumens
7604	LED-FXVTJ20/830/MV-WM	20W	1,713
7605	LED-FXVTJ20/840/MV-WM	20W	1,713
7606	LED-FXVTJ20/830/MV-CM	20W	1,713
7607	LED-FXVTJ20/840/MV-CM	20W	1,713

SKU	Product Code	Description
P10169	LENS-VTJ	Replacement Lens for Vapor Tight Jelly Jar



19

BULKHEAD WALL LIGHT

Energy Star

5
YEAR
WARRANTY

SKU Code	Product Code	Watts	Lumens
7024	LED-FXBWL10/830/BK	10W	700
7025	LED-FXBWL10/850/BK	10W	700
7062	LED-FXBWL10/830/WH	10W	700



20

WORK LIGHTS

Wet Rated Location

3
YEAR
WARRANTY

SKU Code	Product Code	Watts	Lumens
4555	LED60TL/FR66/850	60W	6,600
• 4560	LED36PWL/FR33/850	36W	3,300
• 4561	LED93PWL/FR70/850	93W	7,000

• Limited Stock



21

UP/DOWN WALL SCNCE

Energy Star

5
YEAR
WARRANTY

SKU Code	Product Code	Watts	Lumens
7026	LED-FXDWS10/830/BK	10W	700
7027	LED-FXDWS10/850/BK	10W	700
7064	LED-FXDWS20/830/BK	20W	1,400
7065	LED-FXDWS20/850/BK	20W	1,400
7068	LED-FXDWS10/830/WH	10W	700
7069	LED-FXDWS10/850/WH	10W	700
7070	LED-FXDWS20/830/WH	20W	1,400
7071	LED-FXDWS20/850/WH	20W	1,400
7022	LED-FXDWS10/830/NI	10W	700
7023	LED-FXDWS20/830/NI	20W	1,400
7792	LED-FX5DWS25/33S/930/BK	25W	1,750



22

SECURITY FLOOD LIGHT

Energy Star & Wet Location Rated

5
YEAR
WARRANTY

SKU Code	Product Code	Watts	Lumens
• 7030	LED-FXBFD20/830/BK-SEN	20W	1,400
• 7031	LED-FXBFD20/850/BK-SEN	20W	1,400
• 7066	LED-FXBFD20/830/WH-SEN	20W	1,400
• 7067	LED-FXBFD20/850/WH-SEN	20W	1,400
7082	LED-FXBFD20/830/BK	20W	1,400
7083	LED-FXBFD20/850/BK	20W	1,400
7672	LED-FXBFD20/830/WH	20W	1,400
7673	LED-FXBFD20/850/WH	20W	1,400

• Motion Sensor Included

SKU	Product Code	Description
P10118	SEN-ES-180NX3-2VR/BK	Motion Sensor for 2 headed Security Flood Light



23

SECURITY LIGHT


DLC Standard & IP65 Rated



Photocell Included

50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
9410	FXSECW15/840/DB/MV	15W	1,931
9411	FXSECW15/850/DB/MV	15W	1,954
9412	FXSECW30/840/DB/MV	28W	3,372
9413	FXSECW30/850/DB/MV	28W	3,437



25

SECURITY BARN LIGHT

Energy Star & IP65 Rated



Photocell Sensor Built-in

50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
• 7049	LED-FXSECD40/840	40W	4,806
• 7790	LED-FXSECD25/40K	24W	2,246

- Limited Stock
- Energy Star

SKU	Product Code	Description
P10054	MT-DEA16	16" Extension Arm Pole



24

SECURITY LIGHT

Energy Star & IP65 Rated



Photocell Included

50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
• 7557	LED-FXSECWRT13/50K/MV	13W	1,040
• 7773	LED-FXSECW20/40K/MV	20W	1,622
• 7774	LED-FXSECW20/50K/MV	20W	1,769

- Limited Stock
- IP65 Rated



26

SECURITY BARN LIGHT

DLC Standard & IP65 Rated

50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
• 7190	LED-FXSECD28/40K	29W	3,076
• 7191	LED-FXSECD28/50K	29W	3,181
• 7477	LED-FXSECD38/40K	38W	4,158

- Limited Stock

SKU	Product Code	Description
P10054	MT-DEA16	16" Extension Arm Pole



01

SLIM DISK LIGHT

Energy Star & Damp Location Rated



SKU Code	Product Code	Watts	Lumens
• 9368	LED4DLR-60L9CCT3	9W	631 / 704 / 698
• 9369	LED4DLS-60L9CCT3	9W	631 / 704 / 698
• 9370	LED6DLR-80L9CCT3	12W	801 / 878 / 854
• 9371	LED6DLS-80L9CCT3	12W	801 / 878 / 854

• Limited Stock

SKU	Product Code	Description
P10308	PLT-NC/4DL	4" Round Pre Mounting Plate
P10309	PLT-NC/6DL	6" Round Pre Mounting Plate
P10310	PLT-NC/DL/UNV	Universal Plate for 2/4/6" Disk Light



02

RECESSED DOWNLIGHT

Energy Star & Wet Location Rated



SKU Code	Product Code	Watts	Lumens
9524	LED4RL9-55L930	9W	550
9525	LED6RL14-110L930	14W	1,100
9526	LED4RL10-75L9CCT5	10W	750
9527	LED6RL14-110L9CCT5	14W	1,100

SKU	Product Code	Description
P10029	ADP-RLGU24-N	GU24 Socket Adaptor
P10404	RT-6RL15-BZ	Trim for #9527-Bronze
P10170	RT-4RL9-BK	Trim 4" - Black
P10173	RT-6RL15-BK	Trim 5/6" - Black
P10171	RT-4RL9-CH	Trim 4" - Chrome
P10174	RT-6RL15-CH	Trim 5/6" - Chrome
P10172	RT-4RL9-CH-WH	Trim 4" - Chrome White
P10175	RT-6RL15-CH-WH	Trim 5/6" - Chrome White
P10176	RTS-4RL9-WH	Square Trim 4" - White
P10177	RTS-6RL15-WH	Square Trim 5/6" - White



03

COMMERCIAL RECESSED LIGHT

CCT3 & Selectable Wattage



SKU Code	Product Code	Watts	Lumens
9466	LED6CRL15SW-127L9CCT3/MV	10 / 12 / 15W	760 / 1,020 / 1,275
9467	LED8CRL27SW-243L9CCT3/MV	12 / 19 / 27W	1,440 / 1,890 / 2,430
9468	LED10CRL30SW-270L9CCT3/MV	17 / 20 / 30W	1,620 / 2,070 / 2,700
• 9352	LED6CRL21SW-150L930/MV	9 / 14 / 21W	750 / 1,050 / 1,500
• 9353	LED6CRL21SW-150L940/MV	9 / 14 / 21W	750 / 1,050 / 1,500
• 9354	LED8CRL27SW-200L930/MV	12 / 19 / 27W	1,000 / 1,500 / 2,000

• Limited Stock

SKU	Product Code	Description
7337	BAEM25-170BC/347-C	25W Micro Inverter 120-347V with 12" Conduit
P10309	PLT-NC/6DL	6" Round Pre-Mounting Plate
P10310	PLT-NC/DL/UNV	2/4/6" Round Pre-Mounting Plate
P10318	PLT-NC/8DL-LONG	8" Round Pre-Mounting Long Plate



04

FLUSH MOUNT DISK


Energy Star & CCT3



SKU Code	Product Code	Watts	Lumens
• 9372	LED7FMD-90L9CCT3	13.5W	900

SKU	Product Code	Description
• P10246	BAEM-7FMD	Emergency Driver
• P10304	MT-SR1-7FMD-WH	EM Ballast Space Ringer-1"
• P10243	RT-7FMD-BK	Trim 7" - Black
• P10244	RT-7FMD-NI	Trim 7" - Nickel
• P10245	RT-7FMD-BZ	Trim 7" - Bronze
• P10262	MTK-FMD-E26-SPRING	Torsion Spring & E26 adaptor

• Limited Stock



05

FLUSH MOUNT COMPACT

Energy Star & CCT5



SKU Code	Product Code	Watts	Lumens
9522	LED7FMC-96L930	12W	960
9523	LED7FMC-96L9CCT5	12W	960



07


FMR ROUND

Energy Star & CRI 80



SKU Code	Product Code	Watts	Lumens
7142	LED12FMR-110L830	14W	1,143
7143	LED12FMR-110L840	14W	1,143
7156	LED12FMR-110L850	14W	1,143
7146	LED16FMR-160L830	22W	1,672
7147	LED16FMR-160L840	22W	1,672
7157	LED16FMR-160L850	22W	1,672

SKU	Product Code	Description
P10132	LENS-12FMR	Replacement Lens for 12" FMR
P10133	LENS-16FMR	Replacement Lens for 16" FMR



06

FLUSH MOUNT COMPACT

Energy Star & CCT3



CCT3



SKU Code	Product Code	Watts	Lumens
• 7454	LED7FMC-70L830	10W	700
• 7456	LED7FMC-70L850	10W	700
• 7056	LED7FMC-110L840	17W	1,150
• 7057	LED7FMC-110L850	17W	1,180
• 9367	LED7FMC-90L9CCT3	15W	714 / 935 / 794

SKU	Product Code	Description
P10261	MTK-FMC-E26-SPRING	Torsion Spring & E26 adaptor for #9367

• Limited Stock



08


FLUSH MOUNT MODERN

Energy Star & CRI 80



SKU Code	Product Code	Watts	Lumens
7430	LED12FMM-138L830-NI	18W	1,380
7431	LED12FMM-138L840-NI	18W	1,380
7433	LED14FMM-165L830-NI	22W	1,700
7434	LED14FMM-165L840-NI	22W	1,700
7533	LED16FMM-196L830-NI	26W	1,960
7534	LED16FMM-196L840-NI	26W	1,960
7596	LED12FMM-138L840-NI/MV	18W	1,380
7597	LED14FMM-165L840-NI/MV	22W	1,652

SKU	Product Code	Description
P10077	SWCH-ZE109-NI	Pull Chain String Switch
P10117	BAEM-184500-8C2.0	Emergency Driver for 7596,7597



An additional installation fee will be applied per fixture

09

PENDANT LIGHT


Energy Star & CRI 90



5 YEAR WARRANTY

50,000
Rated
Life HoursCRI
90

SKU Code	Product Code	Watts	Lumens
7794	LED-FX4PCL18/33/930/BK	18W	1,300



10

DECORATIVE ACCENT

Energy Star & CRI 80



5 YEAR WARRANTY

50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
7018	LED-FXDAL23/12FR/830/NI	23W	1,610
7019	LED-FXDAL23/12FR/840/NI	23W	1,610
7020	LED-FXDAL23/24FR/830/NI	23W	2,000
7021	LED-FXDAL23/24FR/840/NI	23W	2,000

SKU	Product Code	Description
P10077	SWCH-ZE109-NI	Pull String Switch
P10078	SWCH-ZE204A	Toggle Switch



11

UNDER CABINET

JA8 / CEC



5 YEAR WARRANTY

50,000
Rated
Life HoursJA8
TITLE 20CRI
90

SKU Code	Product Code	Watts	Lumens
7591	LED-FXUC4/9FR/930	4W	260
7592	LED-FXUC4/9FR/940	4W	260
7600	LED-FXUC7/18FR/930	7W	420
7601	LED-FXUC7/18FR/940	7W	420

SKU	Product Code	Description
P10151	QC-FXUC-10IN	10" Extended Quick Connector
P10180	QC-FXUC-SRT	Quick Connector for Under Cabinet
P10152	PWC-FXUC-3FT	3' Power Cable for Under Cabinet

Limited Stock



12

COMMERCIAL WRAP

DLC Premium & CRI 80




5 YEAR WARRANTY

DLC
Premium50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
9289	LED-FXCWS38/48FR/840	36W	5,275

SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Driver
P10234	SEN-MC605V-D	Microwave Sensor
P10252	WG-CWS/48/WH	Wire Guard
P10317	LENS-CWS38/4FT	Replacement Lens



An additional installation fee will be applied per fixture

An additional installation fee will be applied per fixture

13

UTILITY WRAP

DLC Premium & CRI 80



SKU Code	Product Code	Watts	Lumens
9538	FXUWS27/48CL/840	27W	3,510
9539	FXUWS27/48CL/850	27W	3,510
347V			
9540	FXUWS27/48CL/840/347	27W	3,510
9541	FXUWS27/48CL/850/347	27W	3,510


SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Driver 120-277V
7336	BAEM4-60BC/MV-A	4W Emergency Driver 120-277V
7337	BAEM25-170BC/347-C	25W Micro Inverter 120-347V w/ 12" Conduit
P10249	WG-UWS/48/WH	Wire Guard
P10197	PLT-UWS/4FT/WH	Wireway Cover
P10234	SEN-MC605V-D	Microwave Motion/Photocell Sensor 120-277V
P10407	LENS-UWS27	Replacement Lens
P10389	SPD-L-10KV-277	10KV Surge Protection 120-277V
P10390	SPD-L-20KV-277	20KV Surge Protection 120-277V
P10391	SPD-L-20KV-480	20KV Surge Protection 277-480V



14

RETROFIT STRIP LIGHT

DLC Premium & CRI 80



SKU Code	Product Code	Watts	Lumens
9346	LED-FXRSL25/48FR/840/MV	25W	3,932
9347	LED-FXRSL25/48FR/850/MV	25W	3,967
9348	LED-FXRSL56/96FR/840/MV	55W	8,404
9349	LED-FXRSL56/96FR/850/MV	55W	8,466

SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Driver
P10234	SEN-MC605V-D	Microwave Sensor
P10182	BA-10031A-240-22	Step Down Driver 347-480V to 277V



An additional installation fee will be applied per fixture

15


COMMERCIAL STRIP LIGHT

DLC Premium & CRI 80



SKU Code	Product Code	Watts	Lumens
9344	LED-FXCSSL35/48FR/840/MV-SEN	35W	5,412
9345	LED-FXCSSL35/48FR/850/MV-SEN	35W	5,472
9259	LED-FXCSSL20/24FR/840/MV	20W	3,285
9260	LED-FXCSSL20/24FR/850/MV	20W	3,357
9261	LED-FXCSSL25/48FR/840/MV	24W	3,958
9262	LED-FXCSSL25/48FR/850/MV	24W	4,007
9263	LED-FXCSSL35/48FR/840/MV	34W	5,412
9264	LED-FXCSSL35/48FR/850/MV	34W	5,472
9265	LED-FXCSSL42/96FR/840/MV	42W	6,666
9266	LED-FXCSSL42/96FR/850/MV	43W	6,797
9267	LED-FXCSSL56/96FR/840/MV	54W	8,600
9268	LED-FXCSSL56/96FR/850/MV	54W	8,661
9350	LED-FXCSSL68/96FR/840/MV	67W	10,644
9351	LED-FXCSSL68/96FR/850/MV	67W	10,749

SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Driver
P10234	SEN-MC605V-D	Microwave Sensor
P10182	BA-10031A-240-22	Step Down Driver 347-480V to 277V
P10144	MT-ACC-10FT	10 ft Air Craft Cable
P10147	MT-ACC-4FT	4 ft Air Craft Cable
P10250	WG-CSL/24/WH	Wire Guard for 2 ft
P10251	WG-CSL/48/WH	Wire Guard for 4 ft (x2 pcs for 8 ft)



16

UTILITY STRIP LIGHT



SKU Code	Product Code	Watts	Lumens
• 7593	LED-FXUSL40/48FR/840/MV	40W	4,387
• 7594	LED-FXUSL40/48FR/850/MV	40W	4,518
• 9253	LED-FXUSL40/48FR/840/MV-SEN	40W	4,387

• Limited Stock

SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Driver
7336	BAEM4-60BC/MV-A	4W Emergency Driver 120-277V
P10234	SEN-MC605V-D	Microwave Sensor
P10138	BA-GETR480/277-250W	Step Down Driver 347-480V to 277V
P10303	WG-USL/48/WH	Wire Guard



An additional installation fee will be applied per fixture

17

COMMERCIAL UTILITY STRIP LIGHT

DLC

5 YEAR WARRANTY



SKU Code	Product Code	Watts	Lumens
• 7799	LED-FXUSL24/48FR/50K/MV	24W	3,255
• 9200	LED-FXUSL40/48FR/40K/MV	40W	5,034
• 9201	LED-FXUSL40/48FR/50K/MV	40W	5,286
• 9203	LED-FXUSL64/96FR/50K/MV	61W	7,943
• 9204	LED-FXUSL80/96FR/40K/MV	80W	12,175

• Limited Stock



18

VAPOR TIGHT LINEAR

DLC Premium & IP65 Rated

5 YEAR WARRANTY



SKU Code	Product Code	Watts	Lumens
• 9269	LED-FXVTL25/48CL/PG/840	25W	3,106
• 9270	LED-FXVTL25/48CL/PG/850	25W	3,146
• 9271	LED-FXVTL52/48CL/PG/840	52W	6,266
• 9272	LED-FXVTL52/48CL/PG/850	52W	6,335
9273	LED-FXVTL25/24FR/840	25W	3,387
9274	LED-FXVTL25/24FR/850	25W	3,431
9275	LED-FXVTL25/48FR/840	25W	3,562
9276	LED-FXVTL25/48FR/850	25W	3,595
9277	LED-FXVTL40/48FR/840	40W	5,378
9278	LED-FXVTL40/48FR/850	40W	5,444
9279	LED-FXVTL52/48FR/840	52W	6,992
9280	LED-FXVTL52/48FR/850	52W	7,092
9281	LED-FXVTL65/48FR/840	65W	9,097
9282	LED-FXVTL65/48FR/850	65W	9,159
9283	LED-FXVTL90/96FR/840	90W	12,411
9284	LED-FXVTL90/96FR/850	90W	12,509
• 9342	LED-FXVTL25/48FR/850-SEN	25W	3,595
• 9343	LED-FXVTL40/48FR/850-SEN	38W	5,444

SKU	Product Code	Description
K234301	FXVTL-MC605VD-MT	Microwave Sensor with Plate Kit
K7334300	FXVTL-BAEM-MT	Emergency Driver with Plate Kit

• Parking Garage Beam Angle

• with Sensor



An additional installation fee will be applied per fixture

19

VAPOR TIGHT LINEAR

DLC Premium & IP65 Rated

5 YEAR WARRANTY



SKU Code	Product Code	Watts	Lumens
9561	FXVTL30SW/24FR/8CCT3	20/25/30W	2,600/ 3,250/ 3,900
9562	FXVTL60SW/48FR/8CCT3	30/45/60W	3,900/ 5,850/ 7,800
9563	FXVTL100SW/96FR/840	60/80/100W	7,800/ 10,400/ 13,000
9564	FXVTL100SW/96FR/850	60/80/100W	7,800/ 10,400/ 13,000
347V			
9565	FXVTL30SW/24FR/8CCT3/347	20/25/30W	2,600/ 3,250/ 3,900
9566	FXVTL60SW/48FR/8CCT3/347	30/45/60W	3,900/ 5,850/ 7,800

SKU	Product Code	Description
P10411	MT-Linear-45/90	45/90 deg Angle Bracket Mount
P10412	PLT-VTL-EM-G1	Emergency Driver Mounting Plate



20

FLAT PANEL (CCT3)

DLC & CRI 80

5 YEAR WARRANTY



SKU Code	Product Code	Watts	Lumens
9462	FXPNL40/1x4/8CCT3	40W	4,400
9460	FXPNL40/2x2/8CCT3	40W	4,400
9461	FXPNL50/2x4/8CCT3	50W	5,600
347V			
9465	FXPNL40/1x4/8CCT3/347	40W	4,319
9463	FXPNL40/2x2/8CCT3/347	40W	4,414
9464	FXPNL50/2x4/8CCT3/347	50W	5,533

SKU	Product Code	Description
P10334	MT-1X4BOX-4.5in	Ceiling Mount Kit (1'x4')
P10335	MT-2X2BOX-4.5in	Ceiling Mount Kit (2'x2')
P10336	MT-2X4BOX-4.5in	Ceiling Mount Kit (2'x4')
P10314	MT-1X4FMBOX	Flange Mount Kit (1'x4')
P10228	MT-2X2FMBOX	Flange Mount Kit (2'x2')
P10229	MT-2X4FMBOX	Flange Mount Kit (2'x4')
K7335333	FXPNL-BAEM-MT1FT-BLP	Emergency Driver Kit (1'x4')
K7335332	FXPNL-BAEM-MT2FT-BLP	Emergency Driver Kit (2'x2' & 2'x4')
7337	BAEM25-170BC/347-C	25W Micro Inverter 120-347 w/12" Conduit (field installation)

An additional installation fee will be applied per fixture




LED // FIXTURE // INDOOR 33

21

FLAT PANEL

DLC Premium & DLC



SKU Code	Product Code	Watts	Lumens
▶ 9220	LED-FXPNL26/1X4/840	26W	3,250
▶ 7101	LED-FXPNL32/1X4/840	32W	3,804
▶ 9221	LED-FXPNL36/2X4/840	36W	4,500
▶ 7721	LED-FXPNL40/1X4/835G1	41W	4,376
▶ 7675	LED-FXPNL40/1X4/840G1	41W	4,397
▶ 7720	LED-FXPNL40/2X2/835G1	40W	4,381
▶ 7674	LED-FXPNL40/2X2/840G1	40W	4,408
▶ 7685	LED-FXPNL40/2X2/850G1	40W	4,489

SKU	Product Code	Description
P10096	MT-1X4BOXG1	Ceiling Mount Kit (1'x4')
P10097	MT-2X2BOXG1	Ceiling Mount Kit (2'x2')
P10098	MT-2X4BOXG1	Ceiling Mount Kit (2'x4')
P10228	MT-2X2FMBBOX	Flange Mount Kit (2'x2')
P10229	MT-2X4FMBBOX	Flange Mount Kit (2'x4')
7333	BAEM12-60BC/MV-B	12W Emergency Driver 120-277V
7335	BAEM12-60BC/MV-A	12W Emergency Driver 120-277V
K7333222	FXPNL-BAEM-MT1FT	Emergency Driver w/ Plate Kit for 1'x4'
K7333221	FXPNL-BAEM-MT2FT	Emergency Driver w/Plate for 2'x2' & 2'x4'

- ▶ DLC Premium
- ▶ Limited Stock



22

TROFFER

DLC Premium



SKU Code	Product Code	Watts	Lumens
9235	LED-FXTF20/2X2/835G1	20W	2,540
9236	LED-FXTF20/2X2/840G1	20W	2,600
9237	LED-FXTF20/2X2/850G1	20W	2,620
9238	LED-FXTF30/2X4/835G1	30W	3,810
9239	LED-FXTF30/2X4/840G1	30W	3,900
9240	LED-FXTF30/2X4/850G1	30W	3,900
9241	LED-FXTF45/2X4/835G1	45W	5,715
9242	LED-FXTF45/2X4/840G1	45W	5,850
9243	LED-FXTF45/2X4/850G1	45W	5,850

SKU	Product Code	Description
P10147	MT-ACC-4FT	Air Craft Cable - 4ft
P10144	MT-ACC-10FT	Air Craft Cable - 10ft
P10228	MT-2x2FMBBOX	2x2 Flange Mount Kit
P10229	MT-2x4FMBBOX	2x4 Flange Mount Kit
K7334225	FXTF-BAEM-MT	15W Emergency Driver w/ Plate Kit
K225234	PLT-FXTF/MC605	Motion Sensor w/ Plate Kit



23

TROFFER (RETROFIT)

DLC Premium



SKU Code	Product Code	Watts	Lumens
7779	LED-FXRTF25/2X2/835	25W	3,125
7780	LED-FXRTF25/2X2/840	25W	3,125
7704	LED-FXRTF30/2X4/835	30W	3,840
7705	LED-FXRTF30/2X4/840	30W	3,840
7781	LED-FXRTF42/2X4/835	42W	5,250
7782	LED-FXRTF42/2X4/840	42W	5,250



An additional installation fee will be applied per fixture

An additional installation fee will be applied per fixture

24

ROUND HIGH BAY

DLC Premium & IP66



SKU Code	Product Code	Watts	Lumens
9469	FX11HBR100/90/850/WH/IP66	100W	15,321
9470	FX13HBR150/90/850/WH/IP66	150W	23,097
9555	FX15HBR200/90/850/WH/IP66	200W	28,000

347V

9438	• FX11HBR100/90/850/BK/IP66/347	100W	15,840
9439	• FX13HBR150/90/850/BK/IP66/347	150W	23,696

• Black

SKU	Product Code	Description
P10320	LENS-11HBR-120D-IP66	120° Lens for 11"
P10321	LENS-13HBR-120D-IP66	120° Lens for 13"
P10376	CVR-11HBR100-PC	PC Reflector for 11"
P10377	CVR-13HBR150-PC	PC Reflector for 13"
P10319	SEN-HD06VCRH	Remote Programmable Microwave Motion Sensor 0-10V
P10323	SEN-HD05R	Remote Programmer
P10191	ADP-1/2-3/4NPT	1/2" to 3/4" NPT Adaptor for Pendant Mount



25

ROUND HIGH BAY


DLC Premium



SKU Code	Product Code	Watts	Lumens
• 7695	LED-FX16HBR75/90/850	75W	10,000
• 7696	LED-FX16HBR100/90/840	100W	14,461
• 7699	LED-FX16HBR162/90/850	162W	21,066

• Limited Stock

SKU	Product Code	Description
K150148	PLT/HBR/MC31	Microwave Sensor w/Plate Kit
K7333160	FXHBR-BAEM-MT	Emergency Driver w/Plate Kit
P10156	CVR-16HBR/LS/WH	Skirt with Diffuser



26

ROUND HIGH BAY

DLC Premium (NSF Certified)



SKU Code	Product Code	Watts	Lumens
• 7759	LED-FX11HBR90/110/850/IP65	90W	13,631

• Limited Stock



An additional installation fee will be applied per fixture

An additional installation fee will be applied per fixture

27

LINEAR HIGH BAY

DLC Premium

5
YEAR
WARRANTYDLC
PREMIUM
50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
9476	FXHBL100/22FR/840	100W	13,736
9477	FXHBL100/22FR/850	100W	14,093
9478	FXHBL150/22FR/840	150W	20,702
9479	FXHBL150/22FR/850	150W	21,240
9500	FXHBL150/44FR/840	150W	20,632
9501	FXHBL150/44FR/850	150W	21,127
9480	FXHBL210/22FR/840	210W	27,622
9481	FXHBL210/22FR/850	210W	28,257
9502	FXHBL210/44FR/840	210W	27,698
9503	FXHBL210/44FR/850	210W	28,418
9483	FXHBL300/44FR/850	300W	42,441

347V

9484	FXHBL100/22FR/840/347	100W	13,428
9485	FXHBL100/22FR/850/347	100W	13,777
9486	FXHBL150/22FR/840/347	150W	20,238
9487	FXHBL150/22FR/850/347	150W	20,764
9488	FXHBL210/22FR/840/347	210W	27,778
9489	FXHBL210/22FR/850/347	210W	28,445
9491	FXHBL300/44FR/850/347	300W	41,490

SKU	Product Code	Description
7334	BAEM15-48BC/MV-A	15W Emergency Driver 120-277V
7337	BAEM25-170BC/347-C	25W Micro Inverter 120-347V w/ 12" Conduit
P10094	WG-HBL22/WH	Wire Guard 16"x22"
P10095	WG-HBL44/WH	Wire Guard 16"x44"
P10092	MT-YK-HLB22	Yoke Mount 16"x22"
P10093	MT-YK-HLB44	Yoke Mount 16"x44"
P10396	ADP-PM-HBL/WH	Pendant Mount
P10086	SEN-LOS-509-SFG	PIR Motion Sensor On-Off 100-277 Aisle Lens
P10087	SEN-LOS-509-SFC	PIR Motion Sensor On-Off 100-277 3X Area Lens
P10316	SEN-BRI-RC100	Remote Programmer for P10371
P10371	SEN-BRI619	-PIR Motion Sensor 0-10V 12-24V 2X Area Lens
P10164	SEN-SRP280	Remote Programmer for P10162 & P10163
P10162	SEN-LRD-509-SFG	-PIR Motion Sensor 0-10V 120-277 Aisle Lens
P10163	SEN-LRD-509-SFC	-PIR Motion Sensor 0-10V 120-277 3X Area Lens
P10259	SEN-ON-SRP281	Remote Programmer for Linkable P10256 & P10257
P10260	SWCH-ON-PBD-705	Wall Switch for Linkable Sensor P10256, P10257
P10256	SEN-ON-LRD-509-SFG	-PIR Linkable Sensor 0-10V 120-277 Aisle Lens
P10257	SEN-ON-LRD-509-SFC	-PIR Linkable Sensor 0-10V 120-277 3X Area Lens
P10315	SEN-BRI820-M8	Remote Programmable PIR Motion/Photocell 0-10V Bi-Level Control Internal 120-480V
P10389	SPD-L-10KV-277	Surge Protector 10KV 120-277V
P10390	SPD-L-20KV-277	Surge Protector 20KV 120-277V
P10391	SPD-L-20KV-480	Surge Protector 20KV 347-480V

An additional installation fee will be applied per fixture

28

LINEAR HIGH BAY

DLC Premium & DLC

5
YEAR
WARRANTYDLC
PREMIUM
50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
• 7409	LED-FXHBL100/22FR/850	100W	13,430
• 9286	LED-FXHBL150/44FR/850	150W	20,223
• 7488	LED-FXHBL150/22FR/850/480	150W	19,537
• 7442	LED-FXHBL162/22FR/840	162W	17,310
• 9287	LED-FXHBL210/22FR/840	210W	28,254
• 7413	LED-FXHBL210/44FR/850	210W	27,281
• 7417	LED-FXHBL300/44FR/850	300W	40,538

• Limited Stock

SKU	Product Code	Description
P10092	MT-YK-HBL22	Yoke Mount 3/4" NPT for 22" HBL Pendant
P10093	MT-YK-HBL44	Yoke Mount 3/4" NPT for 44" HBL Pendant
P10094	WG-HBL22/WH	Wire Guard for 22" HBL
P10095	WG-HBL44/WH	Wire Guard for 44" HBL
P10086	SEN-LOS-509-SFG	PIR Motion Sensor 120-277V On-Off Aisle Lens
P10087	SEN-LOS-509-SFC	PIR Motion Sensor 120-277V On-Off Area Lens
P10162	SEN-LRD-509-SFG	Remote Programmable PIR motion Sensor 0-10V Bi-level 120-277V Aisle Lens
P10163	SEN-LRD-509-SFC	Remote Programmable PIR motion Sensor 0-10V Bi-level 120-277V Area Lens
P10164	SEN-SRP280	Remote Programmer for P10162 & P10163



29

LINEAR HIGH BAY

DLC Premium & IP66 Rated

5
YEAR
WARRANTYDLC
PREMIUM
50,000
Rated
Life Hours

SKU Code	Product Code	Watts	Lumens
• 7715	LED-FXHBL75/22FR/850/IP66	75W	10,000
• 7717	LED-FXHBL100/22FR/850/IP66	100W	13,000
• 7719	LED-FXHBL162/22FR/850/IP66	162W	21,060

• Limited Stock

SKU	Product Code	Description
P10092	MT-YK-HBL22	Yoke Mount with 3/4" NPT for Pendant
P10153	SEN-LRD-609-SAC	PIR Motion Sensor 0-10V 100-277V IP66
P10164	SEN-SRP280	Remote Programmer for P10162, P10153, P10163



An additional installation fee will be applied per fixture

LED // FIXTURE // INDOOR 39

01

FILAMENT

CRI 90, Energy Star, JA8



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5940	LED4.5CAF/FIL/E12/30L/922	4.5W	40W	300
5941	LED5CAF/FIL/E26/32L/922	5W	40W	325
5942	LED5G25/FIL/35L/922	5W	40W	350
• 5994	LED6.5A19/FIL/45L/922	6.5W	40W	455
• 5995	LED6.5ST19/FIL/45L/922	6.5W	40W	450

• Energy Star



03


A19 JA8/T20

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4513	LED12A19/110L/927	12W	75W	1,100
4528	LED12A19/110L/930	12W	75W	1,100
4533	LED12A19/110L/940	12W	75W	1,100
4529	LED12A19/110L/950	12W	75W	1,100
• 4524	LED5A19/45L/950	5W	40W	450
• 5948	LED6A19/48L/850	6W	40W	480
• 4512	LED6.5A19/48L/927	6.5W	40W	480

• Limited Stock



02


CANDELABRA / GLOBE

CRI 80 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 4562	LED4.5CAB/32L/E12/827	4.5W	40W	325
• 4563	LED4.5CAB/32L/E12/830	4.5W	40W	325
4564	LED4.5CAB/32L/E12/850	4.5W	40W	325
• 5781	LED5CAB/32L/E26/27K	5W	40W	325
• 5814	LED6G25/45L/27K	6W	40W	450

• Energy Star



04

ENCLOSED FIXTURE RATED

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4534	LED9A19/EC/81L/927	9W	60W	810
4586	LED9A19/EC/81L/930	9W	60W	810
4587	LED9A19/EC/81L/940	9W	60W	810
4588	LED9A19/EC/81L/950	9W	60W	810
4535	LED9A19/EC/81L/GU24/927	9W	60W	810



05

ENCLOSED FIXTURE RATED

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4514	LED17A21/160L/927	17W	100W	1,600
4530	LED17A21/160L/930	17W	100W	1,600
4531	LED17A21/160L/950	17W	100W	1,600
• 5962	LED15A21/160L/830	15W	100W	1,600

• Limited Stock



07

PAR

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5924	LED8PAR20/50L/FL/930	8W	50W	500
5925	LED8PAR20/50L/FL/950	8W	50W	500
5926	LED10PAR30/80L/FL/930	10W	75W	800
5927	LED10PAR30/80L/FL/950	10W	75W	800



06


R / BR

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5834	LED8R20/50L/927	8W	50W	525
5982	LED8R20/52L/950	8W	50W	525
5835	LED9BR30/65L/927	10W	65W	650
5983	LED9BR30/71L/950	9W	65W	715
5842	LED12BR30/90L/927	12W	75W	938
5893	LED12BR30/95L/930	12W	75W	950
5978	LED12BR30/90L/940	12W	75W	950
5984	LED12BR30/95L/950	12W	75W	950
5836	LED15BR40/120L/927	15W	85W	1,200
• 5886	LED8BR30/65L/827CP (2 Pack)	8W	50W	610
• 5904	LED9BR30/81L/927	9W	65W	800
• 5783	LED11BR30/85L/27K	11W	65W	850
• 5895	LED12BR40/105L/827	12W	75W	1,050
• 5986	LED14BR40/100L/930	14W	75W	1,000
• 5896	LED14BR40/100L/930	14W	75W	1,000
• 5784	LED17BR40/140L/27K	17W	100W	1,400


• Limited Stock



08


PAR

CRI 80



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5862	LED8PAR20/50L/FL/930	9W	75W	800
• 5863	LED8PAR20/50L/FL/950	9W	75W	800
• 5756	LED10PAR30/80L/FL/930	14W	75W	880
• 5757	LED10PAR30/80L/FL/950	14W	75W	900
• 5764	LED14PAR30/80L/FL/30K	14W	75W	800
• 5765	LED14PAR30/80L/FL/50K	14W	75W	860
• 5906	LED10PAR30L/90L/930	10W	75W	900
• 5790	LHO-9.5PAR30L/75L/FL/30K	9.5W	75W	750
• 5792	LHO-9.5PAR30L/83L/FL/50K	9.5W	75W	830
• 5868	LED9PAR30L/80L/FL/840	9W	75W	800
• 5869	LED9PAR30L/80L/FL/850	9W	75W	800
• 5759	LED14PAR30L/90L/NFL/50K	14W	75W	900
• 5767	LED14PAR30L/86L/FL/50K	14W	75W	860
• 5630	LED14PAR30L/DIM/NFL/40K	14W	75W	870
• 5907	LED12PAR38/110L/930	12W	90W	1,050
• 5879	LHO18PAR38/125L/FL/27K	18W	150W	1,250
• 5880	LHO18PAR38/135L/FL/30K	18W	150W	1,350

• Limited Stock




09

PAR OUTDOOR RATED

CRI 90 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5928	LED10PAR30L/OD/80L/FL/930	10W	75W	800
5997	LED10PAR30L/OD/80L/FL/940	10W	75W	800
5929	LED10PAR30L/OD/80L/FL/950	10W	75W	800
5930	LED15PAR38/OD/120L/FL/930	15W	100W	1,200
5998	LED15PAR38/OD/120L/FL/940	15W	100W	1,200
5931	LED15PAR38/OD/120L/FL/950	15W	100W	1,200



10

MR16

CRI 80 & Energy Star



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4565	LED6MR16/50L/FL/830	6W	50W	500
4566	LED6.5MR16/50L/GU10/FL/930	6.5W	50W	500
• 5678	LHO-4MR11/NFL/50K	4W	-	170
• 5849	LHO-7MR16/FL/50K	7W	-	500


• Limited Stock



11

BI-PIN (JC & JCD)

Low / Line Voltage



SKU Code	Product Code	Watts	Base	Lumens
4510	LED2JC/16L/G4/830	2W	G4	160
4511	LED2JC/17L/G4/850	2W	G4	170
• 4508	LED2JCD/18L/G9/830	2W	G9	180
• 4509	LED2JCD/20L/G9/850	2W	G9	200
• 5828	LHO-JC1.6T4G4/30K	1.6W	G4	140
• 5848	LHO-JC1.6T4G4/50K	1.6W	G4	160

• Dimmable
• Limited Stock

12

HID RETROFIT INTEGRATED BALLAST

DLC



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4540	LED16HID/E26/190L/830	16W	50-100W	1,900
4574	LED18HID/E26/216L/850	18W	150W	2,160
• 4542	LED36HID/EX39/430L/850	36W	200W	4,228
• 4575	LED54HID/EX39/585L/850	53W	250W	5,851
• 4576	LED100HID/EX39/1220L/850	97W	400W	12,284

• DLC



13

HID RETROFIT INTEGRATED BALLAST

DLC



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5965	LED20HID/E26/220L/827	20W	150W	2,200
• 4515	LED24HID/E26/270L/830	24W	150W	2,700
• 4516	LED24HID/E26/300L/850	24W	150W	3,000
• 5967	LED28HID/E26/310L/827	28W	150W	3,100
▶ 5969	LED27HID/EX39/300L/830	27W	150W	2,903
▶ 5944	LED27HID/EX39/300L/850	27W	150W	2,903
▶ 5970	LED36HID/EX39/400L/830	36W	200W	4,008
• 4517	LED36HID/EX39/420L/850	36W	200W	3,600
• 4518	LED54HID/EX39/570L/830	54W	250W	5,130
▶ 5973	LED75HID/EX39/800L/840	75W	320W	8,153
▶ 5950	LED75HID/EX39/800L/850	75W	320W	8,153
• 4520	LED80HID/EX39/1200L/850	80W	320W	7,600
• 4521	LED100HID/EX39/1200L/850	100W	400W	9,500
▶ 4544	LED100HID/EX39/1100L/850	100W	400W	11,059

• Limited Stock
▶ DLC

14

PLUG-IN INSTANT FIT

Ballast Compatible



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4547	LED12PL/H/100L/4P/835/IF	12W	26W	1,050
4548	LED12PL/H/100L/4P/840/IF	12W	26W	1,100
4545	LED18PL/H/185L/4P/840/IF	18.5W	42W	1,850
4549	LED12PL/V/100L/4P/835/IF	12.5W	26W	950
4550	LED12PL/V/100L/4P/840/IF	12W	26W	1,100
4546	LED18PL/V/185L/4P/840/IF	20W	42W	1,850



16


LED Tube (T5)

Instant Fit



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5992	LED28T5/FR35/840/IF	28W	54W	3,500
• 5993	LED28T5/FR35/850/IF	28W	54W	3,500
• 5902	LED28T5/FR32/840/IF	28W	54W	3,200

- Limited Stock
- DLC



15

PLUG-IN INSTANT FIT

Ballast Compatible



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 4503	LED7PL/V/70L/4P/840/IF	8.5W	18W	700
• 4500	LED7PL/H/70L/4P/835/IF	8.5W	18W	650
• 4506	LED9PL/V/90L/4P/835/IF	10.5W	26W	850
• 4507	LED9PL/V/90L/4P/840/IF	10.5W	26W	900
• 5934	LED9PL/V/4P/935/IF	5/7/9W	13/18/26W	550/650/800
• 5935	LED9PL/V/4P/940/IF	5/7/9W	13/18/26W	550/650/800
• 5932	LED9PL/H/4P/935/IF	5/7/9W	13/18/26W	550/650/800

- Limited Stock




17

LED Tube (T5)

integrated Driver Design



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
5943	LED25T5/FR35/850	25W	54W	3,500



18

LED Tube (T8) Instant Fit



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5988	LED10T8/24FR12/840/IF	10W	17W	1,156
• 5989	LED10T8/24FR12/850/IF	10W	17W	1,208
▶ 4551	LED12T8/36FR14/840/IF	12W	17W	1,450
▶ 4552	LED12T8/36FR14/850/IF	12W	17W	1,450
▶ 4582	LED13T8/FR18/840/IF	13W	32W	1,800
▶ 4583	LED13T8/FR18/850/IF	13W	32W	1,800
▶ 4584	LED16T8/FR22/840/IF	16W	32W	2,200
▶ 4585	LED16T8/FR22/850/IF	16W	32W	2,200
• 5850	LED10T8/24FR11/835/IF	10W	17W	1,150
• 5851	LED10T8/24FR11/840/IF	10W	17W	1,150
• 5852	LED10T8/24FR11/850/IF	10W	17W	1,150
• 5891	LED11T8/36FR14/840/IF	11W	25W	1,400
• 5892	LED11T8/36FR14/850/IF	11W	25W	1,400
▶ 4536	LED13T8/FR16/840/IF	13W	32W	1,650
• 5887	LED38T8/96FR44/840/IF (Single Base)	38W	75W	4,400
• 5888	LED38T8/96FR44/850/IF (Single Base)	38W	75W	4,400

- Limited Stock
- ▶ DLC



19

LED Tube (T8) Integrated Driver Universal Design



(Shunted / Non-Shunted sockets)



SKU Code	Product Code	Watts	Watt Equiv.	Lumens
4556	LED9T8/24FR11/840/UNV	9W	17W	1,150
4557	LED9T8/24FR11/850/UNV	9W	17W	1,150
4538	LED14T8/FR18/840/UNV	14W	32W	1,800
4539	LED14T8/FR18/850/UNV	14W	32W	1,800



20

LED Tube (T8) Integrated Driver (UL Type B)



Single

R17d

SKU Code	Product Code	Watts	Watt Equiv.	Lumens
• 5953	LED15T8/36FR16/840	15W	25W	1,600
• 5954	LED15T8/36FR16/850	15W	25W	1,600
▶ 5955	LED15T8/FR18/840G1	15W	32W	1,800
▶ 5956	LED15T8/FR18/850G1	15W	32W	1,800
▶ 5958	LED43T8/96FR55/840	43W	110W	5,500
▶ 5959	LED43T8/96FR55/850	43W	110W	5,500
5960	LED43T8/96FR55/R17D/840	43W	110W	5,500
5961	LED43T8/96FR55/R17D/850	43W	110W	5,500
• 5778	LED10T8/24FR10/840	10W	17W	1,109

- Limited Stock
- ▶ DLC



01 LED EMERGENCY DRIVER



SKU Code	Product Code	Description
7335	BAEM12-60BC/MV-A	12W CEC-Compliant Emergency Driver 120-277 w/24" Conduit
7333	BAEM12-60BC/MV-B	12W CEC-Compliant Emergency Driver 120-277V
7334	BAEM15-48BC/MV-A	15W CEC-Compliant Emergency Driver 120-277V
7336	BAEM4-60BC/MV-A	4W CEC-Compliant Emergency Driver 120-277V

02 MINI & MICRO INVERTER SYSTEM



SKU Code	Product Code	Description
7337	BAEM25-170BC/347-C	25W Micro Inverter 120-347V w/ 12" Conduit
P10056	BAEM-IIS-375-LED	375W Mini Inverter 120-277V

03 STEP DOWN DRIVER 347-480V



SKU Code	Product Code	Description
P10138	BA-GETR480/277-250W	347-480V to 277V Step Down Driver for linear fixtures 250W and under
P10139	SEN-HD06VCRH	375W Step Down
P10182	BA-10031A-240-22	Step Down Transformer

An additional installation fee will be applied per fixture

04 SURGE PROTECTOR



SKU Code	Product Code	Description
P10389	SPD-L-10KV-277	10 KV Single Phase Surge Protector 120-277V
P10390	SPD-L-20KV-277	20 KV Single Phase Surge Protector 120-277V
P10391	SPD-L-20KV-480	20 KV Single Phase Surge Protector 277-480V
P10400	SPD-S-10KV-277	10 KV Single Phase Surge Protector 120-277V

05 PORTABLE POWER CABLE S0 Cord



SKU Code	Product Code	Description
P10230	PWC-300V2-30FT	Black S0 Cord 30ft for 300V 2 Conductor
P10165	PWC-300V3-6FT	Black S0 Cord 6ft for 300V 3 Conductor
P10166	PWC-300V3-10FT	Black S0 Cord 10ft for 300V 3 Conductor
P10219	PWC-300V3-30FT	Black S0 Cord 30ft for 300V 3 Conductor
P10167	PWC-600V3-6FT	Black S0 Cord 6ft for 600V 3 Conductor
P10168	PWC-600V3-10FT	Black S0 Cord 10ft for 600V 3 Conductor
P10220	PWC-600V3-30FT	Black S0 Cord 30ft for 600V 3 Conductor
P10187	PWC-300V5-6FT	Black S0 Cord 6ft for 300V 5 Conductor
P10188	PWC-300V5-10FT	Black S0 Cord 10ft for 300V 5 Conductor
P10190	PWC-300V5-WH-10FT	White S0 Cord 10ft for 300V 5 Conductor

06 AIR CRAFT CABLE



SKU Code	Product Code	Description
P10144	MT-ACC-10FT	10ft Aircraft Cable

An additional installation fee will be applied per fixture

07

MOTION & PHOTOCELL SENSORS



SKU Code	Product Code	Description
P10234	SEN-MC605V-D	Microwave Motion/Photocell Sensor 0-10V 100-277V
P10371	SEN-BRI619	Remote Programmable PIR Motion/Photocell 0-10V 12-24V Low Voltage
P10387	SEN-BRI823-B-D	Remote Programmable PIR Motion/Photocell 0-10V 120-277V
P10315	SEN-BRI-820-M8	Remote Programmable PIR Motion/Photocell 0-10V Control 120-480V
P10385	SEN-BRI819P-C-D	Remote Programmable PIR Motion/Photocell 0-10V Control 120-347V
P10316	SEN-BRI-RC100	Remote Programmer for P10371, P10387, P10315, P10385
P10153	SEN-LRD-609-SAC	Remote Programmable PIR Motion/Photocell 0-10V Control 100-277V IP66
P10164	SEN-SRP280	Remote Programmer for P10153
P10036	SEN-PHO-BT-MT/MV	Button Photocell 120-277V
K141030	REC3PLK/PHO	Twist-Lock Photocell & Receptacle Mount 120-277V 3 Prong
P10030	SEN-PHO-LK-MT/MV	Twist-Lock Photocell 120-277V 3 Prong
P10053	SEN-PHO-LK-MT/SRT	Twist-Lock Photocell Shorting Cap 120-480V 3 Prong
P10141	REC3PLK	Twist-Lock Photocell Receptacle Mount 120-480V 3 Prong
P10142	REC7PLK	Twist-Lock Photocell Receptacle Mount 120-480V 7 Prong

08

BLUETOOTH CONTROL SYSTEM



SKU Code	Product Code	Description
P10341	CTL-AVI-2110UFL	12V Bluetooth Adaptor
P10342	CTL-AVI-IFAC-5A-1CH	120-277V Bluetooth Adaptor 0-10V
P10343	CTL-AVI-IFAC-5A-1CH-OA	120-277V Bluetooth Adaptor 0-10V w/ outdoor antenna
P10344	CTL-2402BAT	Wall Switch Bluetooth 1-4 Battery Version
P10345	CTL-2401AC	Wall Switch Bluetooth 1-4 AC Version
P10346	CTL-AVI-SEN-IARH-24-BLE	12V Bluetooth Sensor
P10347	CTL-AVI-PS-277-12-250	120-277V to 12V Power Supply (no relay)
P10373	CTL-AVI-SEN-ICM-24-BLE	12V Ceiling Mount Bluetooth Sensor
P10401	CTL-AVI-LVFA-1CH-12-24VDC-OA	Control-Low Voltage Adapter, Single Channel 0-10V, Outdoor Antenna
P10409	CTL-AVI-LVFA-1CH-12-24VDC	Controller LVFA ICH 12-24V Bluetooth adapter
P10410	CTL-AVI-NTM-12-24VDC	Controller 12-24V Network Time Manager
P10413	CTL-AVI-DC-PIR	Controller highbay PIR/daylight sensor (need Bluetooth adaptor)

An additional installation fee will be applied per fixture

09

ACCESSORIES




SKU Code	Product Code	Description
• P10035	SEN-PHO-BT-MT/120	Button Photocell 120V
• P10091	SEN-UM05/ANT5	Motion/Photocell 0-10V Internal 100-277V
• P10148	PLT/HBR/MC31	Microwave Motion/Photocell Sensor 0-10V External 100-277V IP66
• P10024	MT-SF/DB	Slip Fitter Bronze for Traditional Shoebox
• P10064	MT-SF/WH	Slip Fitter White for Traditional Shoebox
• P10026	MT-EA6/DB	6" Extruded Arm Bronze for Traditional Shoebox
• P10066	MT-EA6/WH	6" Extruded Arm White for Traditional Shoebox
• P10025	MT-SB/DB	Swivel Bracket Bronze for Traditional Shoebox
• P10065	MT-SB/WH	Swivel Bracket White for Traditional Shoebox
• P10080	MT-AA14/WH	14" Adjustable Arm White for Traditional Shoebox
• P10081	MT-AA14/DB	14" Adjustable Arm Bronze for Traditional Shoebox
• P10046	MT-4PA/DB	4" Round Pole Adaptor Bronze for Traditional Shoebox
• P10047	MT-5PA/DB	5" Round Pole Adaptor Bronze for Traditional Shoebox
• P10048	MT-6PA/DB	6" Round Pole Adaptor Bronze for Traditional Shoebox
• P10049	MT-4PA/WH	4" Round Pole Adaptor White for Traditional Shoebox
• P10050	MT-5PA/WH	5" Round Pole Adaptor White for Traditional Shoebox
• P10051	MT-6PA/WH	6" Round Pole Adaptor White for Traditional Shoebox
• P10020	MT-KNC-SWP/WH	3/4" NPT Knuckle Mount for SWP White
• P10057	RT-4RL-BK	4" Recessed Trim Black 7567,7578,7580,7198,7093
• P10060	RT-6RL-BK	5/6" Recessed Trim Black 7569, 7199
• P10058	RT-4RL-CH	4" Recessed Trim Chrome 7567,7578,7580,7198,7093
• P10061	RT-6RL-CH	5/6" Recessed Trim Chrome 7569, 7199
• P10082	RT-4RL-CH-WH	4" Recessed Trim Chrome & White 7567,7578,7580,7198,7093
• P10083	RT-6RL-CH-WH	5/6" Recessed Trim Chrome & White 7569, 7199
• P10062	RT-6RL-BZ	5/6" Recessed Trim Bronze 7569, 7199
• P10084	RTS-4RL-WH	Square 4" Recessed Trim Chrome & White 7567,7578,7580,7198,7093
• P10085	RTS-6RL-WH	Square 5/6" Recessed Trim Bronze 7569, 7199
• P10247	WG-HBE110/24/WH	Wire Guard for 100W HBE
• P10248	WG-HBE162/24/WH	Wire Guard for 162W HBE


• Limited Stock

An additional installation fee will be applied per fixture


LED color temperature



Soft White - 2700K



Warm White - 3000K



Cool White - 4000K



Daylight - 5000K

LED CRI



CRI80



CRI90

Color Rendering Index (CRI) describes how an object appears to the human eye based on ideal or natural light source. The CRI is an index, a measure, that tells something about how colors are represented by light coming from a certain light bulb, compared to how the colors are rendered with the light coming from a reference illuminant.

The CRI reports a unit less value, that can differ between 0 and 100. The value 100 means that there is no difference in color rendition between the light of the observed light bulb and the light of the reference illuminant. Lighting with a CRI of 85 to 90 is typically “excellent” at rendering colors of objects while CRI90 or greater are “superior”.

IP (Ingress Protection) Chart

First Digit - Solids


Level	Object Size Protected Against	Effective Against
0	Not Protected	No protection against contact and ingress of objects.
1	>50mm	Any large surface of the body, such as the back of the hand, but no protection against deliberate contact with a body part.
2	>12.5mm	Fingers or similar objects.
3	>2.5mm	Tools, thick wires, etc.
4	>1mm	Most wires, screws, etc.
5	Dust Protected	Ingress of dust is not entirely prevented, it must not enter in sufficient quantity to interfere with the satisfactory operation of the equipment; complete protection against contact.
6	Dust Tight	No ingress of dust; complete protection against contact.

Second Digit - Liquids

Level	Object Size Protected Against	Effective Against
0	Not Protected	No protection against contact and ingress of objects.
1	Dripping water	Dripping water (vertically falling drops) shall have no harmful effect.
2	Dripping water when tilted up to 15°	Vertically dripping water shall have no harmful effect when the enclosure is tilted at an angle up to 15° from its normal position.
3	Spraying water	Water falling as a spray at any angle up to 60° from the vertical shall have no harmful effect.
4	Splashing water	Water splashing against the enclosure from any direction shall have no harmful effect.
5	Water jets	Water projected by a nozzle (6.3mm) against enclosure from any direction shall have no harmful effects.
6	Powerful water jets	Water projected in powerful jets (12.5mm nozzle) against the enclosure from any direction shall have no harmful effects.
7	Immersion up to 1m	Ingress of water in harmful quantity shall not be possible when the enclosure is immersed in water under defined conditions of pressure and time (up to 1 m of submersion).
8	Immersion beyond 1m	The equipment is suitable for continuous immersion in water under conditions which shall be specified by the manufacturer. Normally, this will mean that the equipment is hermetically sealed. However, with certain types of equipment, it can mean that water can enter but only in such a manner that it produces no harmful effects.

LED lighting distribution types


Type I



The type I distribution is great for lighting walkways, paths and sidewalks. This type of lighting is meant to be placed near the center of the pathway. This provides adequate lighting for smaller pathways.

Type I is a two-way lateral distribution having a preferred lateral width of 15 degrees in the cone of maximum candlepower. The two principal light concentrations are in opposite directions along a roadway. This type is generally applicable to a luminaire location near the center of a roadway where the mounting height is approximately equal to the roadway width.


Type II



The type II distribution is used for wide walkways, on ramps and entrance roadways, as well as other long, narrow lighting. This type is meant for lighting larger areas and usually is located near the roadside. You'll find this type of lighting mostly on smaller side streets or jogging paths.

Type II light distributions have a preferred lateral width of 25 degrees. They are generally applicable to luminaires located at or near the side of relatively narrow roadways, where the width of the roadway does not exceed 1.75 times the designed mounting height.


Type III



The type III distribution is meant for roadway lighting, general parking areas and other areas where a larger area of lighting is required. Type III lighting needs to be placed to the side of the area, allowing the light to project outward and fill the area. This produces a filling light flow.

Type III light distributions have a preferred lateral width of 40 degrees. This distribution is intended for luminaires mounted at or near the side of medium width roadways or areas, where the width of the roadway or area does not exceed 2.75 times the mounting height.


Type IV



The type IV distribution produces a semicircular light meant for mounting on the sides of buildings and walls. It's best for illuminating the perimeter of parking areas and businesses. The intensity of the Type IV lighting has the same intensity at angles from 90 degrees to 270 degrees.


Type IV light distributions have a preferred lateral width of 60 degrees. This distribution is intended for side-of-road mounting and is generally used on wide roadways where the roadway width does not exceed 3.7 times the mounting height.

Type V



Type V produces a circular distribution that has the same intensity at all angles. This distribution has a circular symmetry of candlepower that is essentially the same at all lateral angles. It is intended for luminaire mounting at or near center of roadways, center islands of parkway, and intersections. It is also meant for large, commercial parking lot lighting as well as areas where sufficient, evenly distributed light is necessary.

Type VS (Square)



Type VS produces a square distribution that has the same intensity at all angles. Type 5S (square) LED Distribution pattern This distribution has a square symmetry of candlepower that is essentially the same at all lateral angles. It is intended for luminaire mounting at or near center of roadways, center islands of parkway, and intersections. It is also meant for large, commercial parking lot lighting as well as areas where sufficient, evenly distributed light is necessary. Type VS is used where the light pattern needs a more defined edge.

naturaLED®

Head Office & West Coast Distribution Center:
Fanlight Corporation Inc.
2000 S. Grove Ave, Bldg B,
Ontario, CA 91761
Tel: 909-930-6868

East Coast Distribution Center:
2511 Reliance Ave,
Apex, NC, 27539

Central Distribution Center:
1940 Diplomat Drive,
Farmers Branch, TX 75234

Canada
5514-275th Street,
Langley, BC V4W 3X7